

NCPHP in 2017


Joseph P. Jordan PhD – CEO Warren Pendergast MD – Medical Dir. Emeritus


Disclosures

- Joseph P. Jordan PhD has no relevant financial relationships and no conflicts of interest to disclose
- Warren Pendergast MD has no relevant financial relationships and no conflicts of interest to disclose









NCPHP Responsibilities – AMA Code of Medical Ethics

9.3.2 Physician Responsibilities to Impaired Colleagues

Physical or mental health conditions that interfere with a physician's ability to engage safely in professional activities can put patients at risk, compromise professional relationships, and undermine trust in medicine. While protecting patients' well-being must always be the primary consideration, physicians who are impaired are deserving of thoughtful, compassionate care.

To protect patient interests and ensure that their colleagues receive appropriate care and assistance, individually physicians have an ethical obligation to:

(a) Intervene in a timely manner to ensure that impaired colleagues cease practicing and receive appropriate assistance from a physician health program.
(b) Report impaired colleagues in keeping with ethics guidance and applicable law.
(c) Assist recovered colleagues when they resume patient care

NCPHP Responsibilities – AMA Code of Medical Ethics

9.3.2 Physician Responsibilities to Impaired Colleagues


Physical or mental health conditions that interfere with a physician's ability to engage safely in professional activities can put patients at risk, compromise professional relationships, and undermine trust in medicine.


...individually physicians have an ethical obligation to:


(c) Assist recovered colleagues when they resume patient care


(AMA, 2016)


7















Evaluations by NCPHP				
Category	Number	Percentage		
Screened by NCPHP	98			
Referred for outside assessment	8	8% (8/98)		
Referred to treatment after outside assessment	1	12.5% (1/8)		
Referred directly to treatment by NCPHP	3	3% (3/98)		
No recommendation for outside assessment	87	89% (87/98)		
15		NCMB referals 1/1/2017 – 6/30/2017		



NCPHP anonymity breaks to NCMB

Year	Number	Comment	
2017	2	1 person impaired after treatment 1 person relapsed while being monitored	
2016	0		
2015	3		
2014	4		
2013	1		
17			\bigtriangleup



Three Psychiatrists Walk into a Restaurant...

Self-Regulation

• Society cedes to the medical profession the privilege of self-regulation based on 3 assumptions:

o Expertise


o Altruism


 \circ Self-scrutiny


Johnson DH. JAMA 2017. doi:10.1001/jama.2017.10127


20




































NC Coalition for Physician Resilience and Retention

The NCMB no longer asks licensees to reveal potentially impairing conditions at the time of license renewal.

The Board [NCMB] recognizes that licensees encounter health conditions, including those involving mental health and substance use disorders, just as their patients and other health care providers do.

The Board expects its licensees to address their health concerns and ensure patient safety. Options include seeking medical care, self-limiting the licensee's medical practice, and anonymously self-referring to the NC Physicians Health Program (www.ncphp.org)...

The failure to adequately address a health condition, where the licensee is unable to practice medicine with reasonable skill and safety to patients, can result in the Board taking action against the license to practice medicine.

Why psychiatrists should work with colleagues and NCPHP

- If we don't, who will?
- Who is more qualified?
- A chance to influence the culture of medicine to improve self-care
- Most get better
- Sharpen your boundaries and transference skills
- Fewer layers between you and the patient
- Biggest need: female clinicians



35

