
Challenges in Delivering Novel Treatments in Depression: Glutamate, Ketamine and Beyond

Philip T Ninan, M.D. Affiliate Professor of Psychiatry and Behavioral Medicine Brody School of Medicine, East Carolina University

NCPA 9-21-19

Conflicts of Interest

- Consultant: Akili Interactive
- Co-Founder: eMind Science Corp



<section-header><section-header><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item>

DSM-5 Depressive Disorders

- Major Depressive Disorder
- Persistent Depressive Disorder (Dysthymia)
- Premenstrual Dysphoric Disorder
- Substance/Medication-Induced Depressive Disorder
- Depressive Disorder Due to Another Medical Condition

DSM-5 Anxiety Disorders

- Generalized Anxiety Disorder
- Panic Disorder
- Agoraphobia
- Specific Phobias
- Social Anxiety Disorder (Social Phobia)
- Substance/Medication-Induced Anxiety Disorder
- Anxiety Disorder Due to Another Medical Condition

OCD and PTSD are separate from Anxiety Disorders in DSM-5


Research Domain Criteria (RDoC)			Ur	nits of Analy	sis		
Domains	Genes	Molecules	Cells	Circuits	Physiology	Behavior	Self-Repor
- Valence							
+ Valence							
Cognitive							
Social							
Arousal							


Emotions, Thoughts and Behaviors


EMOTIONS are feelings you experience that may be difficult to describe in words. Emotions differ from thoughts. Consider the intensity, duration, and any associated distress from emotions and whether they controlled your thinking and behavior


THOUGHTS are ideas that are usually reasoned and logical. The substance of thoughts are influenced by emotions. Intense emotions make thoughts disorganized, hard to control and decide purposely.

BEHAVIORS are externally observable actions. They are shaped by emotions and thoughts. Behaviors driven by intense emotions are more difficult to control and less determined and intentional.














- All psychotherapies involve brain mediated learning
- What are the mechanisms of action of different psychotherapies?
- Are there principles from neuroscience that can lead to testable hypotheses?



Psychotherapies	Primary Mechanisms
Psychodynamic	Reconsolidation
Behavioral	Extinction
Cognitive	Context & habit routines
Interpersonal	Mirroring - Empathy
Mindfulness	Present experience







Boundaries of the Mind and Brain

Dimensions	Second	Millisecond	Microsecond	Nanosecond
Meter	1			
Millimeter		10 ⁻³ (one thousandth)		
Micrometer			10 ⁻⁶ (one-millionth)	
Nanometer				10 ⁻⁹ (one billionth)
Computation occurs a	at gigahertz (GHz) spe	ed – one billion processe	es ner second	
		·		

Glutamate and Depression

• NR2B selective NMDA glutamate receptor antagonist












Table 1: Su	mmary of F	DA-Appr	oved Products	s for Treatment o	of TRD		
Product(s) Name	Relevant Indication		Route and Frequency of Administration	Efficacy Information	Important Safety and Tolerability Issues	Regulatory Authority	
FDA Approved Symbyax (Fluoxetine plus Olanzapine)	TRD	2003	nacologic Class, if r Oral daily	MADRS Total Score Change from Baseline of -16 vs. olanzapine -12 and placebo -10 for Study 1, -18 vs14 and -9 for Study 2	Olanzapine is an antipsychotic associated with weight gain, hyperglycemia, and extrapyramidal symptoms/	CDER	
ECT	TRD (associated with either MDD or Bipolar Disorder)	1976 (most recent update 2018)	Bitemporal or unilateral temporal; up to 3 times a week for 6 to 10 treatments initially	Not available; approval based on various studies from research literature.	akathisia Memory concerns, use of general anesthesia	CDRH	
TMS	TRD (patients who failed only 1 anti- depressant)	2008	Transcranial; up to daily for 4 to 6 weeks initially (20 to 30 sessions)	MADRS Total Score Charge from Baseline of 6 at Week 4 and Week 6 active TMS vs. 4 at Week 4 and Week 6 sham TMS. Approval based on pot-hoc analysis ind seponder/semission ates.	No major safety issues, limited long-term safety data	CDRH	
VNS	TRD	2005	Once (surgical implant)	12 week sham placebo-controlled stady not stady not significant Approval was based on long-term open- label HAM-D seponder data (30% seponse in 1 year werva 13% yeatment as usual). 12 week open-label plot study showed 34% MADRS megorden.	Surgical intervention risks (allergies, infection, etc.)	CDRH	
reatment for From a regul have insuffic from add-on	r partial resp latory standy cient but par treatment.	oonse in M point, the a tial respon This popula	DD: quetiapine idjunctive treat se to their curr ation is usually	e XR, aripiprazole ment indication a		e. vho	


Indication	Antidepressant	MADRS LS Mean CFB at Primary	MADRS LS Mean CFB Difference	Baseline MADRS
		Endpoint Range	from Placebo/Active Control	Score
MDD	Vortioxetine	-13 to -20	-2.8 to -7.1	31 to 34
	Vilazodone	-9.7 to -13	-2.5 to -3.2	31 to 32
	Levomilnacipran	-14 to -17	-1.3 to -4.9	30 to 36
Adjunctive MDD	Aripiprazole	-8.5 to -8.8	-2.8 to -3.0	31 to 32
	Brexpiprazole	-7.7 to -8.5	-1.3 to -3.1	33 to 35
	Quetiapine XR	-14 to -17	-1.6 to -4.1	28 to 32
TRD	Olanzapine + Fluoxetine (fixed- dose combination)	-8.6 to -14	n/a	23 to 30
	Fluoxetine (vs. Olanzapine + Fluoxetine)	-1.2 to -11	-1.4 to -12	~~
	Olanzapine (vs. Olanzapine + Fluoxetine)	-2.8 to -10	-0.8 to -11	**
	Esketamine	-10.1 to -20.8	-3.2 to -4.1	37 to 38 adult, 35 geriatric










































The Virtual Mind Prefrontal network Functional agency of 'self' The Default Mode Network permits the creation of an internal 'simulated' reality Subjective personal and private Infinite experiences Retrieval and display of declarative memories Simulation of events Fantasy Future Augmented reality









Summary

- Explanatory model of how the human mind emerges from brain activity
 - Experiencing vs. Reporting self
- Psychiatric nomenclature
 - Modeling psychopathologies
- Mechanism of action of treatments
 - Discovering novel treatments